

MATERIAL SAFETY DATA SHEET

AUSSIE FURNITURE CARE
UNIT 2/13-15 BROUGH ST
SPRINGVALE VIC 3171

FINISHING WAX DARK BROWN

PAGE 1 OF 3

DATE OF ISSUE: 1ST SEP 2021

A.B.N. 39 146 317 973

PHONE: (03) 9544 0174

POISONS INFORMATION: 13 11 26

IDENTIFICATION

PRODUCT NAME:	Finishing Wax
OTHER NAMES:	Furniture Wax
PRODUCT CODE:	None Not
UN NUMBER:	required Not
DANGEROUS GOODS CLASS:	required Not
HAZCHEM CODE:	required Not
POISONS SCHEDULE:	required Not
PACKAGING GROUP:	required Not
EMERGENCY PROCEDURE GUIDE:	required

USE:	Manually applied to timber furniture as a polish and sealant
------	--

PHYSICAL DESCRIPTION / PROPERTIES:

APPEARANCE:	Pale yellow or white with a slight hydrocarbon odour
BOILING POINT:	Approx. 210°C
VAPOUR PRESSURE:	0.5 kPa mm Hg at 38°C
SPECIFIC GRAVITY:	0.73
FLASHPOINT (°C):	65°C
FLAMMABILITY LIMITS (%):	Lel 0.6 Uel 7.0

OTHER PROPERTIES:

SOLUBILITY:	Not soluble in water
MELTING POINT:	Approx. 65°C
VAPOUR DENSITY:	5.9 (Air = 1.0)

DATE OF ISSUE: 1ST SEP 2021

INGREDIENTS:

CHEMICAL ENTITY	CAS NUMBER	PROPORTION
Beeswax	N/A	10 to 30% 10
Paraffin Wax	8002-74-2	to 30% 40 to
Petroleum Hydrocarbons	64771-72-8	70% 3 to 15%
Refined Mineral Oils	68649-95-6	
Eucalyptus Oil	8000-48-4	1 to
Carnauba Wax		2%
Oil Dyes – White	2653-64-	2 - 9%
Oil Dyes – Black	7	0%
	4197-25-	0%

HEALTH HAZARD INFORMATION

ACUTE:	Swallowed:	May cause irritation to the mouth, throat and stomach
	Eye:	Harmful to the eyes. Eye irritant
	Skin:	Contact with the skin may result in irritation. Prolonged or repeated contact with skin may lead to dermatitis effects
	Inhaled:	Low toxicity and not a normal feature of this product
CHRONIC:	None Known	
FIRST AID:	Swallowed:	Remove material from mouth. Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water (or milk). Do not induce vomiting. Obtain medical attention
	Eye:	Hold eyelids open and flush with water for at least 15 minutes, then obtain medical attention
	Skin:	Wash skin thoroughly with water. Remove contaminated clothing. Obtain medical attention if irritations occur
	Inhaled:	Remove to fresh air. Keep warm and seek medical advice
FIRST AID FACILITIES:		Emergency eyewash station and shower
ADVISE TO DOCTOR:		Treat symptomatically

DATE OF ISSUE: 1ST SEP 2021

PRECAUTIONS FOR USE

EXPOSURE STANDARDS:	TLV, No exposure limits set by National health and Medical Research. Up to 300ppm recommended per 8hr/day/5days
ENGINEERING CONTROLS:	Use in ventilated areas
PERSONAL PROTECTION:	Avoid contact with skin and eyes. Wash hands after use
CLOTHING:	Overalls recommended
GOGGLES:	Eye protection recommended
GLOVES:	Solvent resistant gloves recommended

All safety equipment should comply with Australian Standards or an equivalent approved by a State or Territory Authority

FLAMMABILITY:	Combustible, vapours may create flammable / explosive atmosphere on heating above flash point
---------------	---

SAFE HANDLING INFORMATION

STORAGE TRANSPORT:	Keep containers securely sealed and protected against damage. Non regulated goods. Store in a cool place and away from naked flames and heat Eliminate sources of ignition, shovel up and place in an approved container for disposal. Use absorbent material if required. Consult local authorities for disposal
SPILL AND DISPOSAL:	

Note: Precautions to be observed by clean up crew – protective clothing MUST be worn. Care should be taken not to slip on contaminated area

FIRE / EXPLOSION HAZARD:	Use foam, dry chemical, Carbon Dioxide or water fog. Keep product out of sewer and water courses
OTHER INFORMATION:	Do not store near oxidising agents

OTHER INFORMATION

Before being marketed, Aussie Furniture Care products are carefully screened for potential hazard to the user, and where necessary, a warning or advice for use is on the label. However, as with all chemicals, if improperly used the products can be harmful, hence guidelines and recommendations for first aid treatment are provided.

THE DATA CONTAINED HEREIN IS NOT TO BE TAKEN AS A WARRANTY OR REPRESENTATION FOR WHICH AUSSIE FURNITURE CARE ASSUMES LEGAL RESPONSIBILITY. THEY ARE OFFERED SOLEY FOR YOUR CONSIDERATION AND VERIFICATION

DATE REVIEWED: 1ST SEP 2021

AUTHORISED BY: